

SPATIAL VARIATIONS OF THE WAVE, STRESS AND WIND FIELDS IN THE SHOALING ZONE

Larry Mahrt
College of Oceanic & Atmospheric Sciences
Oregon State University
Corvallis, OR 97331-5503
Ph: (541) 737-5691, E-mail: mahrt@ats.orst.edu

Award # N00014-97-1-0279

LONG TERM GOALS

The long term goals are to improve parameterization of surface fluxes in the coastal zone in the presence of wave growth, shoaling, and internal boundary layer development. These goals include improving the present form of similarity theory used by models to predict surface fluxes and stress over water surfaces and to document development of internal boundary layers in the coastal zone which are currently not modelled correctly, particularly in cases of flow of warm air over colder water.

OBJECTIVES

The objectives are to provide quality controlled data sets which include spatial variation of surface fluxes, stress and wave characteristics in the coastal zone and vertical structure of the wind and thermodynamic variables in the coastal zone. The objectives also include evaluation of present formulations for surface fluxes at the air-sea interface and evaluation of model simulations of internal boundary layer development.

APPROACH

The first approach is completion of an extensive literature survey on existing studies of air-sea interaction in the coastal zone and internal boundary layer development. The second approach is implementation of three field programs, one in fall of 1997 and two in 1999. Two of the field programs will be located at Duck, North Carolina. The site for the third field program in late spring of 1999 has not yet been determined. The spring 1999 field program is designed to study the internal boundary layer in offshore flow, particularly in stable conditions. The third approach is data analysis and evaluation of existing boundary layer and surface flux formulations. The fourth approach is model comparisons in cooperation with Jim Doyle and Jack Glendening at the Navy Research Laboratory.

WORK COMPLETED

a) Experiment Plan

The principal activities during 1997 focussed on planning for the pilot experiment, to be

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 30 SEP 1997		2. REPORT TYPE		3. DATES COVERED 00-00-1997 to 00-00-1997	
4. TITLE AND SUBTITLE Spatial Variations of the Wave, Stress and Wind Fields on the Shoaling Zone				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Oregon State University, College of Oceanic and Atmospheric Sciences, 104 Ocean Admin. Bldg., Corvallis, OR, 97331				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 4	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

conducted at Duck, North Carolina in November of 1997. One of the activities was construction of the experiment plan for the pilot field program (Sun et al., 1997). This plan details not only the pilot experiment but also outlines the overall strategy of the multi-year effort.

b) Software Package for In-field Data Evaluation

Some attention was devoted to modification of the quality control program which will be used to isolate instrumentation problems in the field on a real time basis. The strategy is to analyze the aircraft data each evening using the quality control package as well as the package for flux sampling errors (Vickers and Mahrt, 1996). The latter will allow assessment of the soundness of the aircraft flight plan and allow modification of the flight plan for the subsequent flight the next day. Are the flight legs long enough or are the number of passes sufficient to adequately sample the flux? We feel that this real time analysis and the flexibility of the LongEZ crew will allow adjustment for mistakes that historically could not be corrected until the "next field program".

For analysis in the field, both ease and speed are critical. Therefore, a graphical user interface has been developed for point and click implementation of the quality control and flux sampling programs. This will allow timely review of the data each evening. At the writing of this report, we are concentrating on building an interface for simple scientific analysis of the data which will also facilitate in-field evaluation of the logic of the flight plan strategy.

c) Equipment

The hardware purchased for the pilot experiment partly with ONR funds is as follows:

<u>Equipment</u>	<u>Usage/Reason</u>
Portable Computer	Portability, ease of operation in the field
Installed SOLARIS 2.5	All of our software was developed under SOLARIS, this provides maximum compatibility and usability in the field.
Installed SUN WORKSHOP	Development tool to account for any unknown or unexpected code modifications in the field.
ZIP drive/ PCMCIA SCSI	In-field data will be primarily transferred using 100Mb ZIP disks.
Installed Windows 95	SOLARIS does not currently support the ZIP drive so Windows will be used to access the drive.

The plan is to receive a set of 100Mb ZIP disks, boot under Windows 95, transfer the data to a 2Gb partition, re-boot under SOLARIS, access the data with the 2Gb partition under normal UNIX operation.

d) Literature Survey

While the main internal boundary layer experiment will be carried out in 1999, we anticipate some internal boundary layer cases in the pilot experiment and hope to be able to carry out case study analyses of the internal boundary layer using data from the pilot experiment. A literature survey of internal boundary layer has been conducted concentrating mainly on observational studies. A manuscript is under preparation. These studies were carried out to anticipate development of internal boundary layers in offshore flow during the pilot experiment. Approaches for parameterization of the internal boundary layer height are:

- a) surface based diagnostic formulations designed mainly in short fetch offshore situations on the scale of a few kilometers.
- b) diagnostic formulations which include the influence of overlying stratification (or inversion strength).
- c) mixed layer growth equations designed to model the growth of the internal boundary layer on the scale of tens of kilometers up to several hundred kilometers.

Present flight plans will capture horizontal scales which are relevant to all three of these approaches.

RESULTS

The only products to date are the field experiment plan and a new software/hardware system for real time in-the-field quality control of data, evaluation of flux sampling problems and preliminary data analysis for evaluation of flight plan strategy.

IMPACT

The expected results from the fall 1997 experiment will eventually lead to improved modelling of the atmospheric boundary layer in the coastal zone which will be offered to operational Navy forecast models and models of radar propagation near the surface.

TRANSITIONS

None at this time.

RELATED PROJECTS

Analysis of offshore tower eddy correlation data is being carried out under grant N00014-96-0014 from the Office of Naval Research. This data allows analysis of detailed vertical structure in the lowest 40 m (Vickers and Mahrt, 1997; Mahrt et al., 1997) whereas the above work concentrates on horizontal structure in the coastal zone.

REFERENCES

Mahrt, L. D. Vickers, J. Edson, J. Sun, J. Hojstrup, J. Hare and J. Wilczak, 1997: Heat flux in the coastal zone. To appear in *Boundary Layer Meteorology*.

Sun, J., L. Mahrt, T. Crawford, C. Vogel, E. Dumas, P. Mourad, and D. Vandermark, 1997: Experiment plan for the shoaling experiment.

Vickers, D., and L. Mahrt, 1996: Quality control and flux sampling problems for tower and aircraft data. *J. of Atmo. Oceanic Tech.*, **14**, 512-526.

Vickers, D. and L. Mahrt, 1997: Fetch limited drag coefficients over shallow water. to appear in *Boundary Layer Meteorology*.